Billing Code: 3510-22-P

#### DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 660

[Docket No. 160808696-7010-02]

RIN 0648-BH20

Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast

Groundfish Fishery; 2017-2018 Biennial Specifications and Management Measures;

**Inseason Adjustments** 

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric

Administration (NOAA), Commerce.

**ACTION:** Final rule; inseason adjustments to biennial groundfish management measures.

SUMMARY: This final rule announces inseason changes to management measures in the

Pacific Coast groundfish fisheries. This action, which is authorized by the Pacific Coast

Groundfish Fishery Management Plan (PCGFMP), is intended to allow fisheries to access more

abundant groundfish stocks while protecting overfished and depleted stocks.

**DATES:** This final rule is effective [insert date of publication in the Federal Register].

FOR FURTHER INFORMATION CONTACT: Karen Palmigiano, phone: 206-526-4491,

fax: 206-526-6736, or e-mail: karen.palmigiano@noaa.gov.

SUPPLEMENTARY INFORMATION:

**Electronic Access** 

This rule is accessible via the Internet at the Office of the Federal Register Web site at <a href="https://www.federalregister.gov">https://www.federalregister.gov</a>. Background information and documents are available at the Pacific Fishery Management Council's website at <a href="http://www.pcouncil.org/">http://www.pcouncil.org/</a>.

### Background

The PCGFMP and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subparts C through G, regulate fishing for over 90 species of groundfish off the coasts of Washington, Oregon, and California. Groundfish specifications and management measures are developed by the Pacific Fishery Management Council (Council), and are implemented by NMFS.

The final rule to implement the 2017-2018 harvest specifications and management measures for most species of the Pacific coast groundfish fishery was published on February 7, 2017 (82 FR 9634).

The Council, in coordination with Pacific Coast Treaty Indian Tribes and the States of Washington, Oregon, and California, recommended three changes to current groundfish management measures at its September 11-18, 2017 meeting. The changes the Council recommended include: (1) increasing the sablefish trip limits in the limited entry fixed gear (LEFG) and open access (OA) sablefish daily trip limit (DTL) fisheries north of 36° North latitude (N. lat.) (2) adding a reference to the current lingcod size limits in the trip limit table for the trawl fishery, and (3) implementing depth restrictions in the California recreational fishery. *LEFG and OA Sablefish DTL Fisheries North of 36° N. lat*.

To increase harvest opportunities for LEFG and OA sablefish DTL fisheries north of 36° N. lat., the Council recommended increases to sablefish trip limits for all remaining periods in

2017. Trip limits for LEFG and OA sablefish DTL fisheries have been designated at 50 CFR 660.60(c)(1)(i) and in Section 6.2.1 of the PCGFMP as routine management measures.

Sablefish are distributed coastwide with harvest specifications split north and south of 36° N. lat. Trip limit increases, for species such as sablefish, are intended to increase attainment of the non-trawl harvest guideline (HG).

To assist the Council in evaluating the increases to sablefish trip limits, the Groundfish Management Team (GMT) made model-based landings projections for the LEFG and OA sablefish DTL fisheries north of 36° N. lat. for the remainder of this year. These projections were based on the most recent information available. The model predicts harvest of 76 percent (194 mt) of the LEFG harvest guideline (HG) (258 mt) and harvest of 77 percent (326 mt) of the OA sablefish DTL fishery HG (425 mt) under the current limits through the end of the year. With the recommended increase in sablefish trip limits, the projected harvest is 80 percent (206.9 mt) of the LEFG HG (258 mt) and 88 percent (374 mt) of the OA sablefish DTL fishery HG (425 mt) through the end of the year. This increase in trip limits does not change projected impacts to co-occurring overfished species from those anticipated in the 2017-18 harvest specifications and management measures, as the projected impacts to those species assume that the entire sablefish ACL is harvested. Finally, projections for the LEFG sablefish fisheries south of 36° N. lat. are similar to levels anticipated in the 2017-18 harvest specifications and management measures, and no requests were made by industry for changes; therefore, no inseason actions were considered.

Therefore, the Council recommended and NMFS is implementing, by modifying Tables 2 (North and South) to part 660, subpart E, trip limit changes for the LEFG sablefish DTL fisheries north of 36° N. lat. The trip limits for sablefish in the LEFG fishery north of 36° N. lat. increase from "1,100 lb (499 kg) per week, not to exceed 3,300 lb (1,497 kg) per two months" to "1,500

lb (680 kg) per week, not to exceed 4,500 lb (2,041 kg) per two months" beginning in period 5 through the end of the year.

The Council also recommended and NMFS is implementing, by modifying Tables 3 (North and South) to part 660, subpart F, trip limits for sablefish in the OA sablefish DTL fishery north of 36° N. lat., an increase from "300 lb (136 kg) per day, or one landing per week of up to 1,000 lb (454 kg), not to exceed 2,000 lb (907 kg) per two months" to "300 lb (136 kg) per day, or one landing per week of up to 1,300 lb (590 kg), not to exceed 2,600 lb (1,179 kg) per two months" beginning in period 5 through the end of the year.

Clarification on Lingcod Size Limits for the Shorebased Individual Fishing Quota (IFQ)

Program

At the September Council meeting, members of the Enforcement Consultants (EC) noted confusion with regards to size limits for lingcod, an IFQ species, caught with trawl gear in the Shorebased IFQ Program north and south of 42° N. lat. Currently, lingcod size limits apply, per regulations at § 660.60(h)(5)(ii)(B)(2). However, members of the EC and the public have commented that it can be difficult to find the regulations, and that they could be misinterpreted.

Therefore, the Council recommended that NMFS include a reference to the current lingcod size limits (22 inches for north of 42° N. lat. and 24 inches for south of 42° N. lat.) in Tables 1 (North and South), part 660, subpart D. However, Tables 1 (North and South) do not provide any information regarding IFQ species (e.g. size limits, landing limits, vessel limits, etc.). These tables describe rockfish conservation areas for vessels using groundfish trawl gear and incidental landing allowances for non-IFQ species (for vessels registered to a limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest IFQ species). NMFS thought it might cause confusion to intermingle IFQ species size limits in the tables that

describe non-IFQ species trip limits and trawl rockfish conservation area boundaries. However, consistent with the intent to clarify the applicable size limits for lingcod harvested in the Shorebased IFQ Program, NMFS is clarifying regulations at § 660.60(h)(5)(ii)(B)(2).

Size limits are designated as routine management measures at § 660.60(c)(1)(i) and in Section 6.2.1 of the PCGFMP. Based on the reasons stated above, instead of including a reference to lingcod size limits in Tables 1 (North and South), NMFS is making clarifying edits to existing regulations at § 660.60(h)(5)(ii)(B), which is the section of the regulations describing weight conversions and size limits for the Shorebased IFQ Program. The change to the regulations includes a clear reference to the lingcod size limits for north and south of 42° N. lat. for the Shorebased IFQ Program for both the whole fish and fish with the head removed.

California Recreational Fishery Management Measures

In June 2016, the Council recommended Oregon and California recreational groundfish regulations for 2017 and 2018. At that time, management measures were anticipated to keep recreational catch within HGs and targets. However, recently, recreational fisheries in both Oregon and California have experienced higher than expected mortality for certain species. These species include black rockfish and cabezon in Oregon only, as well as yelloweye rockfish in both Oregon and California. The higher mortality has likely been the result of more favorable weather conditions experienced over the past few months, as well as increased fishing for groundfish due to a decline in salmon harvest opportunities due to the status of salmon stocks. Because of these factors, effort and impacts have been higher than originally projected, and will approach and/or exceed relevant state HGs. The state of Oregon has recently taken action through their state processes to address the higher than anticipated harvest in their recreational fisheries. California, however, relies on modifications to the federal regulations to address their

higher than anticipated harvest. Inseason changes to depth restrictions for the California recreational fishery are designated at § 660.60(c)(3)(i) and in Section 6.2.1 of the PCGFMP as routine management measures.

At the September Council meeting, the GMT was informed that California was experiencing higher than projected recreational harvest of yelloweye rockfish. The California Department of Fish and Wildlife (CDFW) stated in their report (September 2017 Council Meeting, Agenda Item E.10.a, Supplemental CDFW Report 1) that information through September 10, 2017 suggested that, without intervention to reduce encounters, the California recreational harvest of yelloweye rockfish would exceed the state's HG by 15 percent, or almost 0.6 mt over their 3.9 mt HG. Based on this new information, the GMT conducted model-based runs for two alternative season structures that included depth-based area closures for October-December. The model determined that by restricting the depths at which fishing may occur, CDFW could reduce the projected impacts to yelloweye rockfish by 0.3-0.4 mt.

Therefore, the Council recommended and NMFS is implementing, through modifications to regulations at  $\S 660.360(c)(3)(i)(A)(1)$  through (4), more restrictive depth closures for 4 of the 5 California recreational fishery management areas. The Council did not recommend a change for the Southern Management Area (south of  $34^{\circ}27'$  N. lat.) at this time, which is already restricted to waters deeper than the 60 fm depth contour.

Under the current regulations, recreational fishing is restricted by depth in the Northern and Mendocino Management Areas during May through October 31; with all depths open for November and December. With the implementation of this rule, recreational fishing in this management area will be restricted from mid-October through the end of the year to shoreward of the 20 fm depth contour. Additionally, recreational fishing is currently restricted to shoreward

of the 40 fm depth contour in the San Francisco Management Area and the 50 fm depth contour in the Central Management Area. Through this rule, recreational fishing will be further restricted between October 16 and December 31 in these areas. Beginning October 16 in the San Francisco Management Area, recreational fishing will be prohibited seaward of the 30 fm depth contour and the 40 fm depth contour in the Central Management Area.

More restrictive depth restrictions are intended to allow some recreational fishing to continue to occur while reducing catch of overfished yelloweye rockfish and keeping projected total catch through the end of the year below the ACL. According to the most recent data, even taking into account the overages in Oregon and California, there is an approximately 1.3 mt residual amount of yelloweye rockfish from the off-the-top deductions that were made through the biennial specifications process, including 0.4 mt that was not allocated at the beginning of the biennium, 0.9 mt from research which is projected to go unused, and 0.3 mt from incidental open access that is projected to go unused. Therefore, even if California takes an additional 0.6 mt over their 3.9 mt allocation, there is an extremely low risk of exceeding the ACL.

#### Classification

This final rule makes routine inseason adjustments to groundfish fishery management measures, based on the best available information, consistent with the PCGFMP and its implementing regulations.

This action is taken under the authority of 50 CFR 660.60(c) and is exempt from review under Executive Order 12866.

The aggregate data upon which these actions are based are available for public inspection at the Office of the Administrator, West Coast Region, NMFS, during business hours.

NMFS finds good cause to waive prior public notice and comment on the revisions to groundfish management measures under 5 U.S.C. 553(b) because notice and comment would be impracticable and contrary to the public interest. Also, for the same reasons, NMFS finds good cause to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d)(3), so that this final rule may become effective [insert date of publication in the Federal Register]. The adjustments to management measures in this document affect commercial fisheries in Washington, Oregon and California and recreational fisheries in California. No aspect of this action is controversial, and changes of this nature were anticipated in the biennial harvest specifications and management measures established through a notice and comment rulemaking for 2017-18.

Accordingly, for the reasons stated below, NMFS finds good cause to waive prior notice and comment and to waive the delay in effectiveness.

LEFG and OAFG DTL Sablefish fisheries North of 36° N. lat.

At its September 2017 Council meeting, the Council recommended an increase to LEFG and OA sablefish north of 36° N. lat. trip limits be implemented as quickly as possible to allow harvest of sablefish to approach but not exceed the 2017 ACL. There was not sufficient time after that meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior notice and opportunity for public comment would prevent NMFS from managing the LEFG and OA fixed gear sablefish DTL fishery using the best available science to approach, without exceeding, the ACLs for federally managed species in accordance with the PCGFMP and applicable law. These increases to trip limits must be implemented as quickly as possible during the two-month cumulative limit period to allow LEFG and OAFG fishermen an opportunity to harvest higher limits for sablefish without exceeding the ACL north of 36° N. lat.

It is in the public interest for fishermen to have an opportunity to harvest the sablefish ACL north of 36° N. lat. because the sablefish fishery contributes revenue to the coastal communities of Washington, Oregon, and California. This action, if implemented quickly, is anticipated to allow catch of sablefish through the end of the year to approach but not exceed the ACL, and allows harvest as intended by the Council, consistent with the best scientific information available.

Clarification on Lingcod Size Limits for the Shorebased IFQ Program

At its September Council meeting, the Council recommended NMFS include a reference to the lingcod size limits for north and south of 42° N. lat. in the trip limit tables for the limited entry trawl fishery, Tables 1 (North and South). After additional consideration, NMFS is clarifying existing regulations instead of adding a reference to the trip limit tables for the reasons mentioned in the above section. There was not sufficient time after the Council meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior notice and opportunity for public comment would not be in the public interest for fishermen or the public. Fisherman knowing and abiding by the correct size limits in regulation protects small and juvenile fish and prevents unintended impacts to the stock. This action, if implemented quickly, is anticipated to make the lingcod size limits clearer for fishermen and the NOAA Office of Law Enforcement as well as state enforcement agencies, which will help them to abide by all federal size limits for lingcod, and is consistent with the best scientific information available.

California Recreational Fishery Management Measures

At its September Council meeting, the Council recommended changes to the depth restrictions for recreational fishery management areas off of California be implemented as soon

as possible to prevent further exceedance of the state HG for yelloweye rockfish (3.9 mt) while still providing recreational fishing opportunity to that sector. There was not sufficient time after that meeting to undergo proposed and final rulemaking before this action needs to be in effect. Affording the time necessary for prior notice and opportunity for public comment would prevent NMFS and California from managing the California recreational sector using the best available science to address exceedance of the State's yelloweye rockfish HG, keep catch through the end of the year within the rebuilding ACL, while allowing harvest opportunites as intended by the Council and in accordance with the PCGFMP and applicable law. These depth-based restrictions will move vessels to shallower waters where they are less likely to encounter yelloweye rockfish, while also providing the recreational fishing opportunity that benefits local communities.

It is in the public interest in California to allow the recreational fishery to remain open for the remainder of the year. Recreational fishing in California contributes revenue to the coastal communities of that state, and closing the fishery for the remainder of the year would cause adverse economic impacts to those communities. This action, if implemented quickly, is anticipated to provide recreational fishing opportunity for the duration of the year, keep the yelloweye rockfish harvest within the federal ACL, and is consistent with the best scientific information available.

# List of Subjects in 50 CFR Part 660

Fisheries, Fishing, and Indian Fisheries.

**Dated:** October 16, 2017.

\_\_\_\_\_

Alan D. Risenhoover,

Director,

Office of Sustainable Fisheries,

National Marine Fisheries Service.

For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

## PART 660--FISHERIES OFF WEST COAST STATES

1. The authority citation for part 660 continues to read as follows:

**Authority:** 16 U.S.C. 1801 et seq., 16 U.S.C. 773 et seq., and 16 U.S.C. 7001 et seq.

2. In § 660.60, paragraphs (h)(5)(ii)(B) introductory text, (h)(5)(ii)(B)(2) introductory text, and (h)(5)(ii)(B)(2)(i) and (ii) are revised to read as follows:

# § 660.60 Specifications and management measures.

\* \* \* \* \*

- (h) \* \* \*
- (5) \* \* \*

- (ii) \* \* \*
- (B) Shorebased IFQ Program. For vessels landing sorted catch, the weight conversions for purposes of applying QP and size limits are provided in paragraphs (h)(5)(ii)(B)(2)(i) through (iii) of this section.

\* \* \* \* \*

- (2) Lingcod. The following conversions and size limits apply:
- (i) The minimum size limit for lingcod North of 42° N. lat. is 22 inches (56 cm) total length for whole fish, which corresponds to 18 inches (46 cm) with the head removed.
- (ii) The minimum size limit for lingcod South of  $42^{\circ}$  N. lat. is 24 inches (61 cm) total length for whole fish, which corresponds to 19.5 inches (49.5 cm) with the head removed.

  \*\*\*\*\*
- 3. Table 2 (North) and Table 2 (South) to part 660, subpart E are revised to read as follows:

# Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. lat.

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table 10132017 JAN-FEB MAR-APR JUL-AUG SEP-OCT NOV-DEC Rockfish Conservation Area (RCA)11: shoreline - 100 fm line1/ 1 North of 46°16' N. lat. 30 fm line<sup>1/</sup> - 100 fm line<sup>1/</sup> 2 46°16' N. lat. - 42°00' N. lat. 30 fm line<sup>1/</sup> - 100 fm line<sup>1/</sup> 3 42°00' N. lat. - 40°10' N. lat. See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California. Minor Slope Rockfish2/ & Darkblotched 4 4,000 lb/ 2 months rockfish 5 Pacific ocean perch 1,800 lb/ 2 months 1,125 lb/week, 1,500 lbs/week, not to not to exceed Sablefish exceed 4,500 lbs/2 6 1,100 lb/week, not to exceed 3,300 lb/ 2 months 3.375 lb/ 2 months months 7 Longspine thornyhead 10,000 lb/2 months 2,500 lb/ 2 months 8 Shortspine thornyhead 2,000 lb/ 2 months D 5,000 lb/ month Dover sole, arrowtooth flounder, 11 South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more petrale sole, English sole, starry W 12 than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 flounder, Other Flatfish3/ mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs. 13 14 Ш 15 Whiting 10,000 lb/ trip Minor Shelf Rockfish21, Shortbelly, & 16 200 lb/ month N Widow rockfish 17 Yellowtail rockfish 1,000 lb/ month Z 18 Canary rockfish 300 lb/ 2 months 0 CLOSED 19 Yelloweye rockfish -**~** Minor Nearshore Rockfish & Black 20 **5** rockfish 5,000 lb/2 months, no more than 1,200 lb of which may be species other than black rockfish or North of 42°00' N. lat. 21 blue/deacon rockfish4/ 8 500 lb/ 2 months, no more than 7,000 lb/ 2 months, no more than 1,200 lb of which may be species other than 1.200 lb of 22 42°00' N. lat. - 40°10' N. lat. which may be black rockfish species other than black rockfish 700 lb/ 400 lb/ 1.200 lb/2 23 Lingcod<sup>5/</sup> 200 lb/2 months 1,400 lb/ bimonthly months month month 24 Pacific cod 1,000 lb/ 2 months 150.000 lb/ 2 25 Spiny dogfish 200,000 lb/ 2 months 100,000 lb/ 2 months months 26 Longnose skate Unlimited 27 Other Fish<sup>6/</sup>& Cabezon in Oregon and Unlimited California

- 1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish and splitnose rockfish is included in the trip limits for Minor Slope Rockfish.
- 3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
  4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.),
  there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.
- 6/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

	ole 2 (South) to Part 660, Subpart E	Non-Trawl F	Rockfish Cons	ervation Areas	and Trip Limit	ts for L	imited	Entry I	Fixed C	Gear .
	Other limits and requirements apply Rea	d §§660.10 throu	gh 660.399 befor	e using this table						10132017
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-	OCT	NOV	-DEC	
Roc	kfish Conservation Area (RCA) <sup>1/</sup> :									
1	40°10' N. lat 34°27' N. lat.				125 fm line <sup>1/</sup>					
2	South of 34°27' N. lat.		75 fm line <sup>1</sup>	/ - 150 fm line <sup>1/</sup> (a	also applies arour	nd island	ls)			
	e §§660.60 and 660.230 for additional ge 6660.76-660.79 for conservation area des			uding RCAs, YR						_
	State trip limits and seasons may be r	nore restrictive than	n Federal trip limits	or seasons, partic	ularly in waters off C	Oregon an	nd Califor	nia.		-
3	Minor Slope rockfish <sup>2/</sup> & Darkblotched rockfish		nonths, of which may be blackgill		40,000 lb/ 2 m 1,600 lb					
4	Splitnose rockfish			40,000 lb/	2 months					
5	Sablefish		ı			I				4
6	40°10' N. lat 36°00' N. lat.	1,125 lb/week, not to exceed 3,375 lb/ 2 months	1,100 lb/we	eek, not to exceed	d 3,300 lb/ 2 mont	hs		lbs/week ed 4,500 months		
7	South of 36°00' N. lat.			2,000 ll	b/ week					
8	Longspine thornyhead			10,000 lb/	2 months					4
9	Shortspine thornyhead  40°10' N. lat 34°27' N. lat.		2.000 lb/ 2 month	ie.	2	,500 lb/ 2	2 month	ie.		-
11	South of 34°27' N. lat.	-	2,000 ID/ 2 IIIOIIII		2 months	,000 10/ 2	2 11101111			1 .
12				-,						→
13	Dover sole, arrowtooth flounder,			,	o/ month					$\triangleright$
14 15	petrale sole, English sole, starry				n," vessels using h an "Number 2" hoo					$\Box$
16 17	flounder, Other Flatfish <sup>3/</sup>			•	g) weights per line					
	Whiting				) lb/ trip					Ш
19 20	Minor Shelf Rockfish <sup>2/</sup> , Shortbelly rockf 40°10' N. lat 34°27' N. lat.		fish, shortbelly, v	vidow rockfish, &	chilipepper: 2,500	) lb/ 2 m	onths, c	of which r	no more	<b>N</b>
-	10.10.11.10.11	4,000 lb/ 2		b may be any spe T	ecies other than c	hilipeppe	er.			
21	South of 34°27' N. lat.	months	CLOSED		4,000 lb/ 2	2 months	5			
22	Chilipepper									S
23	40°10′ N. lat 34°27′ N. lat.				shortbelly and wid				above	o u t
24	South of 34 27' N. lat.  Canary rockfish	2,000	ib/ 2 months, this		available seaware 2 months	a or the	non-trav	VIRCA		_
_	Yelloweye rockfish				SED					<u> </u>
	Cowcod				SED					<b> </b>
	Bronzespotted rockfish				SED					1
	Bocaccio									-
30	40°10' N. lat 34°27' N. lat.			1,000 lb/	2 months					
31	South of 34°27' N. lat.	1,500 lb/ 2 months	CLOSED		1,500 lb/ 2	2 months	3			
32	Minor Nearshore Rockfish & Black rock	fish								
33	Shallow nearshore	1,200 lb/ 2 months	CLOSED		1,200 lb/ 2	2 months	3			
34	Deeper nearshore	1,000 lb/ 2 months	CLOSED		1,000 lb/ 2	2 months	5			
35	California Scorpionfish	1,500 lb/ 2 months	CLOSED		1,500 lb/ 2	2 months	3	ı	1	]
36	Lingcod <sup>4/</sup>	200 lb/ 2 months	CLOSED	800 lb/ 2 months	1,200 lb/ b	oimonthly	у	600 lb/ month	300 lb/ month	
37	Pacific cod			1,000 lb/	2 months				•	
38	Spiny dogfish	200,000 lb	/ 2 months	150,000 lb/ 2	10	0,000 lb/	2 mont	hs		
39	Longnose skate			months Unlin	l nited					1
	Other Fish <sup>5/</sup> & Cabezon				nited					1
<u> </u>										

- 1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude
  and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm
  depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 2/ POP is included in the trip limits for Minor Slope Rockfish. Blackgill rockfish have a species specific trip sub-limit within the Minor Slope Rockfish cumulative limit. Yellowtail rockfish are included in the trip limits for Minor Shelf Rockfish. Bronzespotted rockfish have a species specific trip limit.
- 3/ "Other Flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 4/ The commercial mimimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
- 5/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

4.	Table	3 (	North)	and	Table	3 (South)	to part	660,	subpart	F are	revised	to read	l as follo	ows:	

Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40°10' N. lat. Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table 10/04/2017 JAN-FEB MAR-APR JUL-AUG SEP-OCT NOV-DEC Rockfish Conservation Area (RCA)1/: shoreline - 100 fm line1 1 North of 46°16' N. lat. 2 46°16' N. lat. - 42°00' N. lat. 30 fm line1/ - 100 fm line1/ 3 42°00' N. lat. - 40°10' N. lat. 30 fm line1/ - 100 fm line1/ See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California. Minor Slope Rockfish2/ & Per trip, no more than 25% of weight of the sablefish landed Darkblotched rockfish 5 Pacific ocean perch 100 lb/ month 300 lb/ day, or 1 300 lb/day, or 1 landing per landing per 300 lb/day, or 1 landing 300 lb/ day, or 1 landing per week of up week of up to week of up to per week of up to 1,300 Sablefish to 1,000 lb, not to exceed 2,000 lb/ 2 6 1,000 lb, not to 900 lb, not to lbs, not to exceed 2,600 months exceed 2,000 exceed 1,800 lbs/2 months lb/ 2 months lb/ 2 months Shortpine thornyheads and longspine CLOSED thornyheads 3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs. Dover sole, arrowtooth flounder, 10 D petrale sole, English sole, starry South of 42° N. lat., when fishing for "Other Flatfish," vessels using hook-and-line gear with no more 11 than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11  $\Box$ flounder, Other Flatfish3/ 12 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 13 14 Whiting 300 lb/ month Ш Minor Shelf Rockfish<sup>2/</sup>, Shortbelly 200 lb/ month rockfish. & Widow rockfish 16 Yellowtail rockfish 500 lb/ month 17 Canary rockfish 150 lb/ 2 months 18 Yelloweye rockfish CLOSED Z 19 Minor Nearshore Rockfish & Black rockfish 0 20 North of 42°00' N. lat. 5,000 lb/2 months, no more than 1,200 lb of which may be species other than black rockfish 8.500 lb/2 months no 7 more than 1.200 lb of 7,000 lb/2 months, no more than 1,200 lb of which may be species other than 21 42°00' N. lat. - 40°10' N. lat. which may be black rockfish species other than black rockfish 200 lb/ 700 lb/ 22 Lingcod<sup>5/</sup> 100 lb/ month 600 lb/ month 700 lb/ month month month 23 Pacific cod 1,000 lb/ 2 months 150,000 lb/2 24 Spiny dogfish 200,000 lb/ 2 months 100.000 lb/ 2 months months 25 Longnose skate Unlimited 26 Other Fish<sup>6/</sup> & Cabezon in Oregon and California Unlimited 27 SALMON TROLL (subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish and lingcod, as described below) Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and vellowfail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook per trip, plus 1 lingcod per trip, up to a trip 28 North limit of 10 lingcod, on a trip where any fishing occurs within the RCA. This limit only applies during times when lingcod retention is allowed, and is not "CLOSED." This limit is within the per month limit for lingcod described in the table above, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.

Tab	ble 3 (North). Continued													
29	PINK SHRIMP NON-GROUNDFIS	SH TRAWL (no	t subjec	t to RCA	s)									
30	North	exce 1,500 canary, under the	ed 1,500 lb/trip gr thornyhe ne overall	500 lb/da	ne following mits: ling elloweye y and 1,5 limits and	g sublimit pcod 300 l rockfish a 00 lb/trip g d do not h	s also apb/month re PROF groundfis ave spec	pply and a (minimum HIBITED. / th limits. I	re counte 24 inch s All other o andings ic limits.	ed toward size limit) groundfish of these s The amo	the overa ; sablefis n species species c	II 500 lb/d h 2,000 lb taken are ount towa	lay and	
1/ T	he Rockfish Conservation Area is ar	n area closed to	fishing	by partic	ular gear	types, b	ounded	by lines	specifica	ally defin	ed by lat	itude		
	and longitude coordinates set out a	t §§ 660.71-660	).74. Th	is RCA is	not defi	ned by d	epth co	ntours (w	ith the e	xception	of the 2	0-fm		
	depth contour boundary south of 42	$2^{\circ}$ N. lat.), and the	e bound	dary lines	that defi	ine the R	CA may	y close ai	reas that	are dee	eper or s	hallower		
	than the depth contour. Vessels that	at are subject to	RCA r	estriction	s may no	ot fish in	the RC	A, or oper	ate in th	e RCA f	or any p	urpose		
	other than transiting.													
2/ E	Bocaccio, chilipepper and cowcod ro	ckfishes are inc	luded ir	the trip li	mits for	Minor Sh	elf Roc	kfish. Sp	litnose r	ockfish i	is include	ed in the	trip	
	limits for Minor Slope Rockfish.													
3/ "(	Other flatfish" are defined at § 660.11	1 and include b	utter sol	e, curlfin	sole, flat	head sol	e, Pacifi	ic sandda	ab, rex s	ole, rock	sole, ar	nd sand s	sole.	
4/ F	or black rockfish north of Cape Alava	a (48°09.50' N.	lat.), an	d betweer	n Destru	ction Is.	(47°40'	N. lat.) ar	nd Leadb	etter Pr	nt. (46°38	3.17' N. la	at.),	
	there is an additional limit of 100 lbs	s or 30 percent	by weig	ht of all fis	sh on bo	ard, whic	hever is	s greater,	per ves	sel, per	fishing tı	ip.		
5/ T	The minimum size limit for lingcod is	22 inches (56 d	m) tota	l length N	orth of 4	2° N. lat.	and 24	inches (6	61 cm) to	otal leng	th South	of 42° N	l. lat.	
6/ "(	Other fish" are defined at § 660.11 ar	nd include kelp	greenlin	g, leopar	d shark,	and cabe	ezon in '	Washing	ton.					
	convert pounds to kilograms, divi		•	-										

Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table 10/04/2017 MAR-APR JAN-FEB MAY-JUN JUL-AUG SEP-OCT NOV-DEC Rockfish Conservation Area (RCA)<sup>1/</sup>: 40 fm line1/ - 125 fm line1/ 1 40°10' N. lat. - 34°27' N. lat. 2 South of 34°27' N. lat. 75 fm line<sup>1/</sup> - 150 fm line<sup>1/</sup> (also applies around islands) See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs). State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California. Minor Slope Rockfish<sup>2/</sup> & 10,000 lb/ 2 months, of which no more than 475 10,000 lb/2 months, of which no more than 550 Darkblotched rockfish lb may be blackgill rockfish lb may be blackgill rockfish 4 Splitnose rockfish 200 lb/ month 5 Sablefish 300 lb/ day, or 1 300 lb/day, or 1 landing per landing per 300 lb/day, or 1 landing 300 lb/ day, or 1 landing per week of up week of up to week of up to per week of up to 1.300 6 40°10' N. lat. - 36°00' N. lat. to 1,000 lb, not to exceed 2,000 lb/ 2 lbs, not to exceed 2,600 1.000 lb. not to 900 lb. not to months exceed 2,000 exceed 1,800 lbs/2 months lb/2 months lb/2 months 7 300 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months South of 36°00' N. lat Shortpine thornyheads and longspine 8 thornyheads D 9 CLOSED 40°10' N. lat. - 34°27' N. lat  $\Box$ 10 50 lb/ day, no more than 1,000 lb/ 2 months South of 34°27' N. lat 11 3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs. Dover sole, arrowtooth flounder, Ш 13 petrale sole, English sole, starry South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more flounder, Other Flatfish3/ than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 15 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs. 16 300 lb/ month 17 Whiting Minor Shelf Rockfish<sup>2/</sup>, Shortbelly, 18 Widow rockfish and Chilipepper S 400 lb/ 2 0 19 40°10' N. lat. - 34°27' N. lat 400 lb/2 months months CLOSED  $\subseteq$ 1,500 lb/ 2 20 South of 34°27' N lat 1 500 lb/ 2 months months 21 Canary rockfish 150 lb/2 months **5** CLOSED 22 Yelloweye rockfish 23 Cowcod CLOSED 24 Bronzespotted rockfish CLOSED 500 lb/2 25 Bocaccio CLOSED 500 lb/2 months months Minor Nearshore Rockfish & Black 26 rockfish 1,200 lb/2 27 Shallow nearshore CLOSED 1,200 lb/ 2 months months 1,000 lb/2 28 Deeper nearshore **CLOSED** 1.000 lb/ 2 months months 1.500 lb/ 2 29 California scorpionfish CLOSED 1,500 lb/2 months months 400 lb/ 150 lb/ 30 Lingcod4/ 100 lb/ month CLOSED 400 lb/ month 600 lb/ month month month 31 Pacific cod 1,000 lb/ 2 months 150,000 lb/ 2 32 Spiny dogfish 200.000 lb/ 2 months 100.000 lb/ 2 months months 33 Longnose skate Unlimited 34 Other Fish<sup>5/</sup> & Cabezon Unlimited

	e 3 (South). Continued	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC				
25					*	*	•				
	RIDGEBACK PRAWN AND, SOUTH OF NON-GROUNDFISH TRAWL Rockfish						RAWL				
37	40° 10' N. lat 38° 00' N. lat	100 fm lino 1/	ea (RCA) for CA	-	- 150 fm line 1/	geback Frawn.	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>				
38	38° 00' N. lat 34° 27' N. lat		200 tm line 1/ 200 tm line 1/ 150 fm line 1/								
37		South of 34°27' N. lat. 100 fm line 1/2 - 150 fm line 1/2 along the mainland coast; shoreline - 150 fm line 1/2 around islands									
39		the 300 lb ground species landed landed. Spiny d coastwide and multiplied by th 38°57.50' N. lat. that at least one 0 which may be	Ifish per trip limit. , except that the a logfish are limited I thomyheads sout the number of days are allowed to (1) California halibut is species other thar	The amount of groumount of spiny dog by the 300 lb/trip or h of Pt. Conception of the trip. Vessel land up to 100 lb/d landed and (2) lan a Pacific sanddabs	undfish landed may gfish landed may ex verall groundfish lin n and the overall gn s participating in the lay of groundfish wi	not exceed the arkceed the amount nit. The daily trip lipundfish "per trip" I be California halibut thout the ratio requents of flatfish, nor flounder, rock sole	of target species imits for sablefish imit may not be this fishery south of sirement, provided more than 300 lb of the curlfin sole, or				
40	PINK SHRIMP NON-GROUNDFISH TR	AWL GEAR (not	subject to RCAs	:)							
41	South	exceed 1,500 lb 1,500 lb/trip grou canary rockfish, t managed under count toward the	o/trip. The followin ndfish limits: lingo hornyheads and ye the overall 500 lb/o per day, per trip o	g sublimits also ap and 300 lb/ month ( elloweye rockfish a day and 1,500 lb/tri r other species-spo o not apply. The a	ip groundfish limits. ecific sublimits des	d toward the overa size limit); sablefish All other groundfish Landings of all gi cribed here and th	III 500 lb/day and h 2,000 lb/ month; n species taken are roundfish species				
	e Rockfish Conservation Area is an area			• •							
	and longitude coordinates set out at §§ 66				,	•					
	depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose										
	other than transiting.				•	,,,	•				
	OP is included in the trip limits for minor s										
	cumulative limits. Yellowtail rockfish is ind limit.	cluded in the trip li	mits for minor sh	elt rockfish. Bror	nzespotted rockfi	sh have a specie	es specific trip				
	iimit. hther flatfish" are defined at § 660.11 and ii	nclude butter sole.	curlfin sole, flat	nead sole. Pacifi	c sanddab. rex s	ole, rock sole, ar	nd sand sole				
3/ "C											
	e commercial mimimum size limit for ling	acod is 24 inches (	61 cm) total lend		N. lat.		ia caria colo.				

5. In § 660.360, paragraphs (c)(3)(i)(A)(1) through (4) are revised to read as follows: § 660.360 Recreational fishery – management measures.

\* \* \* \* \*

- (c) \* \* \*
- (3) \* \* \*
- (i) \* \* \*
- (A) \* \* \*
- (1) Between 42° N. lat. (California/Oregon border) and 40°10′ N. lat. (Northern Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of the 30 fm (55 m) depth contour along the mainland coast and along islands and offshore seamounts from May 1 through October 15 (shoreward of 30 fm is open); is prohibited seaward of the 20 fm (37 m) depth contour along the mainland coast and along islands and offshore seamounts from October 16 through December 31 (shoreward of 20 fm is open); and is closed entirely from January 1 through April 30. Coordinates for the boundary line approximating the 20 (37 m) and 30 fm (55 m) depth contours are listed in § 660.71.
- (2) Between 40°10′ N. lat. and 38°57.50′ N. lat. (Mendocino Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of the 20 fm (37 m) depth contour along the mainland coast and along islands and offshore seamounts from May 1 through December 31 (shoreward of 20 fm is open), and is closed entirely from January 1 through April 30. Coordinates for the boundary line approximating the 20 fm depth contour are listed in § 660.71.

(3) Between 38°57.50′ N. lat. and 37°11′ N. lat. (San Francisco Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of the boundary line approximating the 40 fm (73 m) depth contour along the mainland coast and along islands and offshore seamounts from April 15 through October 15; is prohibited seaward of the boundary line approximating the 30 fm (55 m) depth contour along the mainland coast and along islands and offshore seamounts from October 16 through December 31, and is closed entirely from January 1 through April 14. Closures around Cordell Banks (see paragraph (c)(3)(i)(C) of this

section) also apply in this area. Coordinates for the boundary line approximating the 30 (55 m)

and 40 fm (73 m) depth contours are listed in § 660.71.

(4) Between 37°11′ N. lat. and 34°27′ N. lat. (Central Management Area), recreational fishing for all groundfish (except petrale sole, starry flounder, and "other flatfish" as specified in paragraph (c)(3)(iv) of this section) is prohibited seaward of a boundary line approximating the 50 fm (91 m) depth contour along the mainland coast and along islands and offshore seamounts from April 1 through October 15; is prohibited seaward of a boundary line approximating the 40 fm (73 m) depth contour along the mainland coast and along islands and offshore seamounts from October 16 through December 31 and is closed entirely from January 1 through March 31 (i.e., prohibited seaward of the shoreline). Coordinates for the boundary line approximating the 40 fm (73 m) depth contour are specified at § 660.71 and the 50 fm (91 m) depth contour are specified in § 660.72.

\* \* \* \* \*

[FR Doc. 2017-22695 Filed: 10/18/2017 8:45 am; Publication Date: 10/19/2017]